




# Hippo-M Tube Series

**Stable connector for hollow tube  
LED strip light**













Hippo-M Tube serie can work with most common hollow tube LED strip light. It allows connection to be made with tube. With hole for injecting glue to make it fully waterproof to work outdoor

## How to use

Connect to LED Strip



Attach Wire to Connector



The sample of single color LED strip is below, other color types are similar

## Application Effect



## Model for Choice

Item NO.	FSN8XB-2	FSN8BB-2
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~18AWG / 0.32~0.78mm <sup>2</sup>	/
Dimension	26*15*7mm	27*15*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	2 Pin	
Strip Light Width	8 mm(PCB)/10.5mm(Tube)	
Strip Light Color	single color	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	



Item NO.	FSN10XB-2	FSN10BB-2
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~18AWG / 0.32~0.78mm <sup>2</sup>	/
Dimension	26*17*7mm	27*17*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	2 Pin	
Strip Light Width	10 mm(PCB)/12.5mm(Tube)	
Strip Light Color	single color	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	



Item NO.	FSN10XB-3	FSN10BB-3
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~20AWG / 0.32~0.52mm <sup>2</sup>	/
Dimension	26*17*7mm	27*17*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	3 Pin	
Strip Light Width	10 mm(PCB)/12.5mm(Tube)	
Strip Light Color	2 color or CCT	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	



Item NO.	FSN10XB-4	FSN10BB-4
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~20AWG / 0.32~0.52mm <sup>2</sup>	/
Dimension	26*17*7mm	27*17*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	4 Pin	
Strip Light Width	10 mm(PCB)/12.5mm(Tube)	
Strip Light Color	RGB	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	



Item NO.	FSN12XB-2	FSN12BB-2
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~18AWG / 0.32~0.78mm <sup>2</sup>	/
Dimension	26*19*7mm	27*19*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	2 Pin	
Strip Light Width	12 mm(PCB)/14.5mm(Tube)	
Strip Light Color	single color	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	



Item NO.	FSN12XB-5	FSN12BB-5
Type	strip to wire	strip to strip joint
Workable Wire Gauge	22~18AWG / 0.32~0.78mm <sup>2</sup>	/
Dimension	26*19*7mm	27*19*7mm
Voltage & Current	DC3~24V / Max.5A	
Pin Quantity	5 Pin	
Strip Light Width	12 mm(PCB)/14.5mm(Tube)	
Strip Light Color	single color	
Strip Light IP Rating	IP67 Hollow Tube Waterproof	
Material	PC & Copper	

