



Hippo-M Solid Series

#1 Connector for IP68 Solid Tube LED Strip









Patent design for solid tube waterproof LED strip light no matter common injected or latest extruded types. Directly connect strip light by hand maintaining tube coating of the strip, no extra tools needed ! The innovative structural design can reliably ensure the breaking point rain-proof once connected without glue.

How to use

1.Strip to strip joint



2.Strip to power



The sample of single color LED strip is below, other color types are similar

Application Effect



Model for Choice

Item NO.	SDN8XB-2W	SDN8BB-2	SDN8BXB-2W
Type	strip to power	strip to strip joint	strip to strip bridge
Wire Gauge	20AWG/0.52mm ²	/	20AWG/0.52mm ²
Wire Length for Option	200/500/1000mm	/	200/500/1000mm
Dimension	28*15.5*8.5mm	40*15.5*8.5mm	28*15.5*8.5mm
Voltage & Current	DC3~24V/3.5A	DC3~24V/5A	DC3~24V/3.5A
Material	PC, ABS, PVC&Copper	PC&Copper	PC, ABS, PVC&Copper
Pin Quantity	2 Pin		
Strip Light Width	8 mm(PCB)/10mm(tube)		
Strip Light Color	Single Color		
Strip Light IP Rating	IP67/68 Solid tubewaterproof		



SDN8XB-2W

SDN8BB-2

SDN8BXB-2W

Item NO.	SDN10XB-2W	SDN10BB-2	SDN10BXB-2W
Type	strip to power	strip to strip joint	strip to strip bridge
Wire Gauge	20AWG/0.52mm ²	/	20AWG/0.52mm ²
Wire Length for Option	200/500/1000mm	/	200/500/1000mm
Dimension	28*17.5*8.5mm	40*17.5*8.5mm	28*17.5*8.5mm
Voltage & Current	DC3~24V/3.5A	DC3~24V/5A	DC3~24V/3.5A
Material	PC, ABS, PVC, Copper	PC&Copper	PC, ABS, PVC, Copper
Pin Quantity	2 Pin		
Strip Light Width	10 mm(PCB)/12mm(tube)		
Strip Light Color	Single Color		
Strip Light IP Rating	IP67/68 Solid tube waterproof		



SDN10XB-2W

SDN10BB-2

SDN10BXB-2W

Hippo-M Solid

LED Strip Connector

www.onlumi.com

Item NO.	SDN10XB-3W	SDN10BB-3	SDN10BXB-3W
Type	strip to power	strip to strip joint	strip to strip bridge
Wire Gauge	20AWG/0.52mm ²	/	20AWG/0.52mm ²
Wire Length for Option	200/500/1000mm	/	200/500/1000mm
Voltage & Current	DC3~24V/3.5A	DC3~24V/5A	DC3~24V/3.5A
Material	PC, ABS, PVC, Copper	PC&Copper	PC, ABS, PVC, Copper
Pin Quantity	3 Pin		
Strip Light Width	10 mm(PCB)/12mm(tube)		
Strip Light Color	2 Color		
Strip Light IP Rating	IP67/68 Solid tubewaterproof		



SDN10XB-3W



SDN10BB-3



SDN10BXB-3W

Item NO.	SDN10XB-4W	SDN10BB-4	SDN10BXB-4W
Type	strip to power	strip to strip joint	strip to strip bridge
Wire Gauge	22AWG/0.34mm ²	/	22AWG/0.34mm ²
Wire Length for Option	200/500/1000mm	/	200/500/1000mm
Voltage & Current	DC3~24V/3.5A	DC3~24V/5A	DC3~24V/3.5A
Material	PC, ABS, PVC, Copper	PC&Copper	PC, ABS, PVC, Copper
Pin Quantity	4 Pin		
Strip Light Width	10 mm(PCB)/12mm(tube)		
Strip Light Color	RGB Color		
Strip Light IP Rating	IP67/68 Solid tubewaterproof		



SDN10XB-4W



SDN10BB-4



SDN10BXB-4W