



Attestation of Compliance

Reference No. : LCSB050523034S001

Applicant : Shenzhen Onlumi Technology Limited

Address : Room 218, 2F, Building D, YouDingQiChuang Area, NO.62, HePing Road, QingHua Community, LongHua District, Shenzhen, G.D. China

Product : Dimmable Touch Switch Module

Trade Mark : N/A

Model(s) : SEE ANNEX I

Parameters : SEE ANNEX I

Tested according to : EN 61347-2-11:2001+A1:2019; EN 61347-1:2015+A1:2021

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the above standards. It confirms that the listed product complies with all essential requirements of the above standards and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Laboratory Ltd. for testing.

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.

While other relevant Directives (other than LVD in NLF) is applicable, after assessment accordingly and preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product.



Date of issue: June 11, 2024

Manager

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.
101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,
Shenzhen, China
Tel: (86)0755-29871520 Fax: (86)0755-29871521
Http://www.lcs-cert.com Email: webmaster@lcs-cert.com



ANNEX I:



Reference No. : LCSB050523034S001

Model(s) :

Model	Rating
FDTSM-T10	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T6	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T5	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T6	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T5	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T6A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T5A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral





FTSM-T6A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T5A	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T6-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T5-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T6-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T5-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T6-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T5-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10A-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8A-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10A-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral





FDTSM-T8A-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T10A-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FDTSM-T8A-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T6-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T5-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T6-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T5-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T6-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T5-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10A-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8A-K1	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral





FTSM-T10A-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8A-K2	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T10A-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral
FTSM-T8A-F20ABR150-K3	Input: SELV 5-24VDC, 3.5A, Output: 5-24VDC, Max.3.5A, Max.84W tc.60°C, Integral

