

# Attestation of Compliance



Reference No. : LCSA03105330S

Applicant : Shenzhen Onlumi Technology Limited

Address : Room 218, 2F, Building D, YouDingQiChuang Area, NO. 62, HePing Road, QingHua Community, LongHua District, Shenzhen, G. D. China

Product : Hippo-M MAX LED Strip Connector

Model(s) : See model list

Parameters : See model list

Tested according to : EN 60998-1:2004

The submitted products have been tested by us with the listed standards.

This Attestation of Compliance is issued according to the EU regulation: **General Product Safety Regulation ((EU) 2023/988)**, Referred to as the EU general safety regulation. It confirms that the listed product complies with general safety requirements article 5 and article 6 of the **General Product Safety Regulation ((EU) 2023/988)** considered as safe product.

The Presumption of conformity (article 7 and article 8 of the **General Product Safety Regulation ((EU) 2023/988)**) state that when a product conforms to a voluntary national standard of the EU members or other relevant EU harmonized standard, the product shall be presumed to be a safe product so far as concerns the risks and categories of risk covered by the standard.

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out. This Attestation applies specifically to the sample investigated in our test reference number only.

Other relevant EU directives and the Member State regulations shall have to be observed.

Date of issue: Apr 03, 2025

  
.....  
Manager





Model		MX/2045-2X12C-2PA/L=150MM
MX/2045-X5C-2P	MX/2045-X12C-6P	MX/2045-2X10-5P/L=150MM
MX/2045-B5C-2P	MX/2045-B12C-6P	MX/2045-X12C-2P/L=150MM
MX/2045-X5-3P	MX/2045-X8TC-2P	MX/2045-2X12C-2P/L=150MM
MX/2045-B5-3P	MX/2045-B8TC-2P	MX/2045-X12-3P/L=150MM
MX/2045-X8C-2P	MX/2045-X10TC-2P	MX/2045-2X12-3P/L=150MM
MX/2045-B8C-2P	MX/2045-B10TC-2P	MX/2045-X12C-3P/L=150MM
MX/2045-X8-3P	MX/2045-X5C-2P/L=150MM	MX/2045-2X12C-3P/L=150MM
MX/2045-B8-3P	MX/2045-2X5C-2P/L=150MM	MX/2045-X12-4P/L=150MM
MX/2045-X8C-3P	MX/2045-X5-3P/L=150MM	MX/2045-2X12-4P/L=150MM
MX/2045-B8C-3P	MX/2045-2X5-3P/L=150MM	MX/2045-X12C-4P/L=150MM
MX/2045-X8-4P	MX/2045-X8C-2P/L=150MM	MX/2045-2X12C-4P/L=150MM
MX/2045-B8-4P	MX/2045-2X8C-2P/L=150MM	MX/2045-X12-5P/L=150MM
MX/2045-X8C-4P	MX/2045-X8-3P/L=150MM	MX/2045-2X12-5P/L=150MM
MX/2045-B8C-4P	MX/2045-2X8-3P/L=150MM	MX/2045-X12C-5P/L=150MM
MX/2045-X10C-2P	MX/2045-X8C-3P/L=150MM	MX/2045-2X12C-5P/L=150MM
MX/2045-B10C-2P	MX/2045-2X8C-3P/L=150MM	MX/2045-X12-6P/L=150MM
MX/2045-X10-3P	MX/2045-X8-4P/L=150MM	MX/2045-2X12-6P/L=150MM
MX/2045-B10-3P	MX/2045-2X8-4P/L=150MM	MX/2045-X12C-6P/L=150MM
MX/2045-X10C-3P	MX/2045-X8C-4P/L=150MM	MX/2045-2X12C-6P/L=150MM
MX/2045-B10C-3P	MX/2045-2X8C-4P/L=150MM	MX/2045-B5LC-2P
MX/2045-X10-4P	MX/2045-X10C-2P/L=150MM	MX/2045-B5L-3P
MX/2045-B10-4P	MX/2045-2X10C-2P/L=150MM	MX/2045-B8LC -2P
MX/2045-X10C-4P	MX/2045-X10-3P/L=150MM	MX/2045-B8L-3P
MX/2045-B10C-4P	MX/2045-2X10-3P/L=150MM	MX/2045-B8LC-3P
MX/2045-X10-5P	MX/2045-X10C-3P/L=150MM	MX/2045-B8L-4P





MX/2045-B10-5P	MX/2045-2X10C-3P/L=150MM	MX/2045-B8LC-4P
MX/2045-X12C-2P	MX/2045-X10-4P/L=150MM	MX/2045-B10LC-2P
MX/2045-B12C-2P	MX/2045-2X10-4P/L=150MM	MX/2045-B10L-3P
MX/2045-X12-3P	MX/2045-X10C-4P/L=150MM	MX/2045-B10LC-3P
MX/2045-B12-3P	MX/2045-2X10C-4P/L=150MM	MX/2045-B10L-4P
MX/2045-X12C-3P	MX/2045-X10-5P/L=150MM	MX/2045-B10LC-4P
MX/2045-B12C-3P	MX/2045-X5C-2PA	MX/2045-B10L-5P
MX/2045-X12-4P	MX/2045-X8C-2PA	MX/2045-B10LC-5P
MX/2045-B12-4P	MX/2045-X10C-2PA	MX/2045-B12LC-2P
MX/2045-X12C-4P	MX/2045-X12C-2PA	MX/2045-B12L-3P
MX/2045-B12C-4P	MX/2045-X5C-2PA/L=150MM	MX/2045-B12LC-3P
MX/2045-X12-5P	MX/2045-X8C-2PA/L=150MM	MX/2045-B12L-4P
MX/2045-B12-5P	MX/2045-X10C-2PA/L=150MM	MX/2045-B12LC-4P
MX/2045-X12C-5P	MX/2045-X12C-2PA/L=150MM	MX/2045-B12L-5P
MX/2045-B12C-5	MX/2045-2X5C-2PA/L=150MM	MX/2045-B12LC-5P
MX/2045-X12-6P	MX/2045-2X8C-2PA/L=150MM	MX/2045-B12L-6P
MX/2045-B12-6P	MX/2045-2X10C-2PA/L=150MM	MX/2045-B12LC-6P
Rated	DC24V / 5.5A 20AWG(0.5mm <sup>2</sup> )	

